

 GC-heat®

The highest degree.



GC-change Keramikgliederheizungen  
*GC-change Ceramic sectional heaters*



# GC-change

## GC-change

### Keramikgliederheizungen *Ceramic sectional heaters*

#### **Einfach austauschen!**

GC-change Keramikgliederheizungen werden lose in ein Schutzrohr eingebaut. Sie können deshalb ausgetauscht werden, ohne dass man den Behälter, in den sie eingebaut sind, vorher entleeren muss. Üblicherweise erfolgt der Einbau waagrecht. Lieferbar sind Heizeinsätze in den Durchmessern von 22,0 bis 64,0 mm. Auf Wunsch können die Heizeinsätze für den senkrechten Einbau geliefert werden.

#### ***Simply change it!***

*GC-change ceramic sectional heaters are built into a protection tube. The heaters can be changed without removing the housing in which the heaters are installed. They are usually supplied for horizontal use. Diameters from 22.0 to 64.0 mm are available. On request, the heaters can also be supplied for vertical installation.*

- Schutzart IP65 durch optionales Anschlussgehäuse  
*Protection type IP65 through optional connection housing*
- Maße und Werkstoffe auf Anfrage  
*Sizes and materials upon request*
- Auf Wunsch mit Flansch oder Einschraubgewinde  
*On request with flange or screw-in nipple*

#### **Anschluss Connection**

- Schraubstifte M5 aus Stahl, verzinkt, oder Edelstahl  
*M5 nickel-plated steel or stainless-steel threaded pins*

Alternativ:  
*Alternatively:*

- Reinnickellitze, mit keramischen Isolierperlen überzogen, Länge 100 mm  
*Pure-nickel leads with ceramic beads, length 100 mm*



GC-heat Gebhard GmbH & Co. KG  
Industriestraße 34  
51545 Waldbröl  
Germany  
Phone +49 (0)2291 796-0  
info@gc-heat.de  
gc-heat.de

GC-heat Technology (Kunshan) Co. Ltd  
No. 329, Jujin Road, Zhangpu Township  
215321 Kunshan  
P. R. of China  
Phone +86 (0)512 8788 0081  
sales@gc-heat.cn  
gc-heat.cn

■ made  
■ in  
■ Germany

